From: scperry@pa.gov Sent: 1/20/2012 7:26:36 PM

To: "Ann DiDonato" < DiDonato. Ann@epamail.epa.gov>

CC:

Subject: Re: Initial Sampling Schedule

## Thanks!

---- Original Message -----

From: Ann DiDonato [mailto:DiDonato.Ann@epamail.epa.gov]

Sent: Friday, January 20, 2012 07:14 PM

To: Perry, Scott (DEP)

Subject: Re: Initial Sampling Schedule

Yes - we have only one home scheduled for Monday and I sent the info along to Stephen a bit earlier today. We are going to only sample one home so we can work out the logistics of sampling with such a large group. We hope to have a complete schedule for next week before noon tomorrow. I will send it along as soon as it is finalized. Thanks.

---- Original Message -----

From: "Perry, Scott (DEP)" [scperry@pa.gov]

Sent: 01/20/2012 07:08 PM EST

To: Ann DiDonato; "'john.smelko@cabotog.com'" <john.smelko@cabotog.com>; "Brokenshire, Stephen"

<sbrokenshi@pa.gov>

Cc: "'andy.mehalko@cabotog.com'" <andy.mehalko@cabotog.com>; "'DEagan@moody-s.com'" <DEagan@moody-

s.com>; Richard Fetzer; "Malone, Shamus" <smalone@pa.gov>

Subject: Re: Initial Sampling Schedule

Thanks Ann - is there a schedule for Monday?

Scott Perry
Deputy Secretary
Department of Environmental Protection

---- Original Message -----

From: Ann DiDonato [mailto:DiDonato.Ann@epamail.epa.gov]

Sent: Friday, January 20, 2012 07:05 PM

To: John Smelko <john.smelko@cabotog.com>; Brokenshire, Stephen

Cc: Andy Mehalko <andy.mehalko@cabotog.com>; DEagan@moody-s.com <DEagan@moody-s.com>; Richard Fetzer

<Fetzer.Richard@epamail.epa.gov>; Perry, Scott (DEP); Malone, Shamus

Subject: Re: Initial Sampling Schedule

I don't think that Rich will see a problem with that either (I will allow them to weigh in) - so far we have clear 'yes' or 'no' from people but we will continue to ask them and continue to offer them the option when we make our calls. Thanks.

---- Original Message -----

From: John Smelko [john.smelko@cabotog.com]

Sent: 01/20/2012 11:44 PM GMT

To: "sbrokenshi@pa.gov" <sbrokenshi@pa.gov>; Ann DiDonato

Cc: Andy Mehalko <andy.mehalko@cabotog.com>; "DEagan@moody-s.com" <DEagan@moody-s.com>; Richard Fetzer;

"scperry@pa.gov" <scperry@pa.gov>; "smalone@pa.gov" <smalone@pa.gov>

Subject: Re: Initial Sampling Schedule

DIM0040573 DIM0040573

Ann,

We appreciate the offer for EPA to collect samples for us. Can we work the same arrangement as the PADEP?

Thanks, John

Sent from my Android phone using TouchDown (www.nitrodesk.com)

----Original Message-----

From: Ann DiDonato [DiDonato.Ann@epamail.epa.gov]

Received: Friday, 20 Jan 2012, 17:20

To: Brokenshire, Stephen [sbrokenshi@pa.gov]; John Smelko [john.smelko@cabotog.com]

CC: Andy Mehalko [andy.mehalko@cabotog.com]; Denis Eagan [DEagan@moody-s.com]; Richard Fetzer [Fetzer.Richard@epamail.epa.gov]; Perry, Scott (DEP) [scperry@pa.gov]; Malone, Shamus [smalone@pa.gov]

Subject: Re: Initial Sampling Schedule

Thanks Stephen. The OSC with the sampling team will sign the chain of custody forms.

From: "Brokenshire, Stephen" [sbrokenshi@pa.gov]

Sent: 01/20/2012 05:16 PM EST

To: Ann DiDonato; John Smelko <john.smelko@cabotog.com>

Cc: Andy Mehalko <andy.mehalko@cabotog.com>; Denis Eagan <DEagan@moody-s.com>; Richard Fetzer; "Perry,

Scott (DEP)" <scperry@pa.gov>; "Malone, Shamus" <smalone@pa.gov>

Subject: RE: Initial Sampling Schedule

Ann,

PA DEP would greatly appreciate EPA filling up our sample bottles on our behalf in those situations. For the chain-of-custody issue, we would like to ask if EPA would be agreeable to be one of the signatories in the chain-of-custody section on our lab submission sheets. That way the sample will show it was taken by EPA and handed off to DEP.

Thank you,

Stephen D. Brokenshire | Mineral Resources Program Specialist | Pennsylvania Department of Environmental Protection | Office of Oil & Gas Management | Division of Resource Management & Well Development | 101 Penn Avenue | Scranton, PA 18503 | Office (570) 346-5535 | sbrokenshi@pa.gov<mailto:sbrokenshi@pa.gov> www.dep.state.pa.us

From: Ann DiDonato [mailto:DiDonato.Ann@epamail.epa.gov]

Sent: Friday, January 20, 2012 5:03 PM To: John Smelko; Brokenshire, Stephen

Cc: Andy Mehalko; Denis Eagan; Richard Fetzer; Brokenshire, Stephen

Subject: RE: Initial Sampling Schedule

Importance: High

Hi John and Stephen -

Question for you.....we have several home owners that are not interested in having either of you sample their wells or to come on to their property. There is an option to allow us to fill your bottle ware during our sampling event (if those property owners are willing to allow that) - I am concerned about chain of custody issues but I wanted to know what you thought about having us do the sampling for you.

DIM0040573 DIM0040574

Please let me know as soon as possible - thanks Ann

Ann (Breslin) DiDonato On-Scene Coordinator US EPA Region III - Philadelphia Office 215-814-3311 Cell 215-287-8157

From: John Smelko <john.smelko@cabotog.com<mailto:john.smelko@cabotog.com>>

To: Ann DiDonato/R3/USEPA/US@EPA, sbrokenshi <sbrokenshi@state.pa.us<mailto:sbrokenshi@state.pa.us>>

Cc: Richard Fetzer/R3/USEPA/US@EPA, Andy Mehalko

<andy.mehalko@cabotog.com<mailto:andy.mehalko@cabotog.com>>, Denis Eagan <DEagan@moody-

s.com<mailto:DEagan@moody-s.com>>

Date: 01/20/2012 07:15 PM

Subject: RE: Initial Sampling Schedule

Thanks for sending Ann. Would you please also send contact information for the residents as well?

Thanks,

John

\*\*\*\*\*\*\*\*\*\*\*\*\*\*

John Smelko
North Region Manager, Environmental and Regulatory Compliance
Cabot Oil & Gas Corporation
Five Penn Center West, Suite 401
Pittsburgh, PA 15276
412-249-3854 (Office)
412-613-7642 (Cell)
John.Smelko@cabotog.com<mailto:John.Smelko@cabotog.com>

----Original Message-----

From: Ann DiDonato [mailto:DiDonato.Ann@epamail.epa.gov]

Sent: Friday, January 20, 2012 3:07 PM

To: sbrokenshi; John Smelko Subject: Initial Sampling Schedule

Afternoon -

Rich Fetzer asked that I email the field sampling schedule for the first day.

Monday we will be sampling at Ex. 6 - Personal Privacy at 1:30 pm.

We are still working the schedule and will be in contact as soon as we are able to do so. Thanks.

DIM0040573 DIM0040575